

MAR – POST EVENT

Kelowna General Hospital
MEDICATION ADMINISTRATION RECORD

Page:1

DO: [REDACTED] Weight: 75kg Attending Physician: Wiesenthal, Joshua D

ALLERGIES: NO KNOWN ALLERGIES

ADRS:

UNCODED:

CODES: O=Omitted (give reason under comments below)

Nurse initials for MAR check

RN

SCHEDULED Medications - check routes of administration

Initials/Comments

atorvastatin (Equivalent to: Lipitor)
80 MG (1 tablet) PO 1800
Supplied as 80 mg TAB
Start: 16/01/15 @ 1800

1800

bisoprolol (Equivalent to: Monacor)
5 MG (1 tablet) PO DAILY
Supplied as 5 mg TAB
Start: 16/01/15 @ 0900

0900

RN

docusate (Equivalent to: Colace)
100 MG (1 capsule) PO BID
Supplied as 100 mg CAP
Take with plenty of water
Start: 19/01/15 @ 1800

0900

1800

RN

famotidine (Equivalent to: Pepcid)
20 MG (2 mL) IV Q12HR
Supplied as 10 mg/mL INJ
Dilute with NS before administration.
Preservative free - Single use vial
Store in Refrigerator.
Therapeutic Interchange for Ranitidine 50 mg IV Q8H
Start: 18/01/15 @ 0900

0900

2100

RN

heparin
5,000 UNIT (0.5 mL) SC Q12HR
Supplied as 5000 unit/0.5 mL VIAL
Notify pharmacy to discontinue once
patient ambulating well
Start: 16/01/15 @ 2100

0900

2100

RN

lactulose (Equivalent to: Cephulac, Chronulac, Euro-Lac)
30 ML PO DAILY
Supplied as 667 mg/mL LIQ
Start: 19/01/15 @ 0900

0900

RN

perindopril (Equivalent to: Coversyl)
4 MG (1 tablet) PO DAILY
Supplied as 4 mg TAB
Start: 16/01/15 @ 0900

0900

RN

Kelowna General Hospital
MEDICATION ADMINISTRATION RECORD

Page:2

DOB: 21/04/1950 Age: 64 Sex: M Weight: 75kg Attending Physician: Wiesenthal, Joshua D

ALLERGIES: NO KNOWN ALLERGIES

ADRS:

UNCODED:

CODES: O=Omitted (give reason under comments below)

Nurse initials for MAR check

BOWEL ELIMINATION PROTOCOL - check routes of administration

Initials/Comments

Bowel Elimination Protocol (Equivalent to: Bowel Protocol, non-narcotic)

Circle below level of protocol in effect . Sign med dose time

Start: 18/01/15 @ 0900

PROTOCOL

Condition	Dose/Route/Rate					Instruction			
Level:	1	2	3	4	5	0900	1800	2100	Other
Level 1	natural laxative(Fruitlax) 30mL OR prune juice daily								
Level 2	magnolax 30 mL PO at HS								
OR:	sennosides A&B 12 mg PO at HS								
If on tube feeds:	sennosides syrup 15 mL by NG Q12H								
Level 3 - Notify physician if no BM within 48 hrs									
THEN:	sennosides A&B 24 mg PO BID								
AND:	magnolax 60 mL PO at HS								
If on tube feeds:	sennosides syrup 30 mL by NG Q12H								
Level 4 - If no BM for further24 hrs, assess for impaction &						bowel sounds & call MD			
If impacted & stool is soft. Disimpact manually									
If impacted & stool is hard. Instill 100mL mineral oil PR HSx1									
followed by:	cleansing enema in AM								
Level 5 - If no BM for further24 hrs, call physician									
THEN:	Fleet or tap water enema PR x1 dose								
If patient has a BM in any of above LEVELS, return to Level II as a maintenance regime									

Kelowna General Hospital
MEDICATION ADMINISTRATION RECORD

Page:3

DOB 21/04/1950 Age 64 Sex M Weight 75kg U#:KG00569257 Acct#KG0319595/15
Attending Physician: Wiesenthal, Joshua D

ALLERGIES: NO KNOWN ALLERGIES

ADRS:

UNCODED:

CODES: O=Omitted (give reason under comments below)

Nurse initials for MAR check

PRN MEDS - All Routes of Administration

Document PRN Doses Horizontally Starting at the Left

Initials/Comments

acetaminophen+caffeine+codeine 30 mg TAB

(Equivalent to: T3, Tylenol #3)

1-2 tabs PO Q4H PRN

300-325mg of acetaminophen per tab

Max: 4g Acetaminophen/24hrs all sources

Start: 17/01/15 @ 0800

0950 ³⁰/₁₁ RN
1600 ³⁰/₁₁ RN

acetaminophen

(Equivalent to: Tylenol)

325-650 mg PO Q4H PRN

Supplied as 325 mg TAB

max 4gram /24 hours from all sources

Start: 17/01/15 @ 0800

aluminum 33 mg + magnesium 40 mg/mL LIQ

(Equivalent to: Almigel 200, Diovol, Maalox, Mylanta)

30-45 ML PO Q4H PRN

Each mL contains: aluminum hydroxide 33 mg

+ magnesium hydroxide 40 mg

Start: 18/01/15 @ 1104

calcium carbonate chewable

(Equivalent to: TUMS Regular Strength)

500 MG (1 tablet) PO PRN PRN

Supplied as 500 mg TAB

Calcium Carbonate 500 mg = Calcium

elemental 200 mg

Start: 18/01/15 @ 1131

dimenhyDRINATE

(Equivalent to: Gravol)

25-50 mg IV Q4H PRN

Supplied as 10 mg/mL INJ

NOTE: Multiple routes. Only give by ONE.

Start: 17/01/15 @ 0800

dimenhyDRINATE

(Equivalent to: Gravol)

25-50 mg IM Q4H PRN

Supplied as 50 mg/mL INJ

NOTE: Multiple routes. Only give by ONE.

Start: 17/01/15 @ 0800

dimenhyDRINATE

(Equivalent to: Gravol)

25-50 mg PO Q4H PRN

Supplied as 50 mg TAB

NOTE: Multiple routes. Only give by ONE.

Start: 17/01/15 @ 0800

1137

Kelowna General Hospital
MEDICATION ADMINISTRATION RECORD

Page:4

DOB: 21/04/1950 Age: 64 Sex: M Weight: 75kg Attending Physician: Wiesenthal, Joshua D

ALLERGIES: NO KNOWN ALLERGIES

ADRS:

UNCODED:

CODES: O=Omitted (give reason under comments below)

Nurse initials for MAR check

PRN MEDS - All Routes of Administration
Document PRN Doses Horizontally Starting at the Left

Initials/Comments

HYDROmorphine [PresFree] (Equivalent to: Dilaudid)
0.5-1 MG SC Q4H PRN
Supplied as 2 mg/mL INJ
Start: 17/01/15 @ 0800

HYDROmorphine [PresFree] (Equivalent to: Dilaudid)
0.25-0.5 MG IV Q4H PRN
Supplied as 2 mg/mL INJ
Start: 17/01/15 @ 0800

HYDROmorphine (Equivalent to: Dilaudid)
1-2 mg PO Q4H PRN
Supplied as 1 mg tab
Start: 17/01/15 @ 0800

ketorolac (Equivalent to: Toradol)
30 MG (1 mL) IM/IV Q6H PRN
Supplied as 30 mg/mL INJ
Total daily dose should not exceed 120 mg
Start: 17/01/15 @ 0800

1600 (30) IM q6h

nitroglycerin (Equivalent to: Nitrolingual)
1-2 sprays SL Q 5 MIN PRN
PRN Reason: Chest Pain
Supplied as 0.4 mg/spray
spray on/under tongue
May repeat twice at 5-10 min intervals.
Do NOT inhale.
Start: 16/01/15 @ 1327

zopiclone (Equivalent to: Imovane, Rhovane)
7.5 MG (1 tablet) PO HS PRN
Supplied as 7.5 mg TAB
Start: 17/01/15 @ 0900

Pocha, Robert Jeffrey

KELKGHS4W KGHS0408 A

MAR Date: 20/01/15-0700 Thru: 21/01/15-0659

UW: KG00569257

Acct#: KG031959315

DOB: 21/04/1950

Age: 64

Sex: M

Weight: 75kg

Attending Physician: Wiesenthal, Joshua D

ALLERGIES: NO KNOWN ALLERGIES

ADRS:

UNCODED:

CODES: O=Omitted (give reason under comments below)

Nurse initials for MAR check _____

NEW MEDICATIONS	Transcribed By	Nurse Check	Initials/Comments
Bowel Protocol (see PPO)	MO	CA.	
Have D50 hanging, not to be used x 1000 cc per hypoglycemic protocol if hypoglycemic	DS	CA.	
Ondazetron 8mg IV q 8h prn for nausea	CA	CA	
Glucose every 10 minutes while BS > 4.0, q 30 minutes if BS < 4.0	DS	CA	
For BS < 4.0 - 1/2 amp D50 W IV prn For BS < 3.0 - 1 amp D50 W IV prn	DS	CA	See glucose monitoring sheet
Glucagon 1mg to bedside	DS	CA	done @ 2155

Replace Kit per ICU electrolyte protocol